

CONDITIONS OF APPROVAL

PROJECT: PA 2022-02 (CUP 2022-21 & CDR 2022-14)
PROJECT NAME: Ambassador Discipleship Center
PROJECT LOCATION: 164 and 184 South Main Street (APN: 373-153-039 and 373-153-041)
APPROVAL DATE:
EFFECTIVE DATE:
EXPIRATION DATE:

GENERAL

1. Planning Application No. 2022-02 (Conditional Use Permit No. 2022-21 and Commercial Design Review No. 2022-14) to remodel an existing 14,565 sq. ft. four-story building with a 2,087 sq. ft. addition (16,652 sq. ft. total) and a 3,906 sq. ft. storage building, as a new congregate living and educational facility with conference rooms, a 1,358 sq. ft. dining room and kitchen area/retail commercial restaurant, and a Conditional Use Permit to establish and operate a congregate living and educational use for 52 participants plus staff for a total of 64 occupants on a 0.85-acre site in the Downtown Elsinore Specific Plan (DESP). The project site is located southeast corner of Main Street and Prospect Street, more specifically 164 and 184 South Main Street (APNs: 373-153-039 and 373-153-041).
2. The applicant shall defend (with counsel acceptable to the City), indemnify, and hold harmless the City, its Officials, Officers, Employees, Agents, and its Consultants (Indemnitees) from any claim, action, or proceeding against the Indemnitees to attack, set aside, void, or annul an approval of the City, its advisory agencies, appeal boards, or legislative body concerning approval, implementation and construction of CUP 2022-21 and CDR 2022-14, which action is brought within the time period provided for in California Government Code Sections 65009 and/or 66499.37, and Public Resources Code Section 21167, including the approval, extension or modification of CUP 2022-21 and CDR 2022-14 or any of the proceedings, acts or determinations taken, done, or made prior to the decision, or to determine the reasonableness, legality or validity of any condition attached thereto. The applicant's indemnification is intended to include, but not be limited to, damages, fees and/or costs awarded against or incurred by Indemnitees and costs of suit, claim or litigation, including without limitation attorneys' fees, penalties and other costs, liabilities and expenses incurred by Indemnitees in connection with such proceeding. The City will promptly notify the applicant of any such claim, action, or proceeding against the City. If the project is challenged in court, the City and the applicant shall enter into formal defense and indemnity agreement, consistent with this condition.
3. Within 30 days of Project approval and prior to issuance of any building permits, the applicant shall sign and complete an "Acknowledgement of Conditions," and shall return the executed original to the Community Development Department for inclusion in the case records.

PLANNING DIVISION

4. Conditional Use Permit No. 2022-21 shall lapse and become void two years following the date on which the conditional use permit became effective, unless one of the following: (1) prior to the expiration of two years, a building permit related to the conditional use permit is

issued and construction commenced and diligently pursued toward completion; or (2) prior to the expiration of two years, the applicant has applied for and has been granted an extension of the conditional use permit approval pursuant to subsections (a), (b), and (c) of Lake Elsinore Municipal Code (LEMC) Section 17.415.070.D.2. Subject to the provisions of LEMC Section 17.415.070.I, a conditional use permit granted pursuant to the provisions of this section shall run with the land and shall continue to be valid upon a change of ownership of the site or structure, which was the subject of the Conditional Use Permit application.

5. Commercial Design Review No. 2022-14 shall lapse and become void two years following the date on which the design review became effective, unless one of the following: (1) prior to the expiration of two years, a building permit related to the design review is issued and construction commenced and diligently pursued toward completion; or (2) prior to the expiration of two years, the applicant has applied for and has been granted an extension of the design review approval pursuant to subsections (1) and (2) of Lake Elsinore Municipal Code (LEMC) Section 17.415.050.I.1. Notwithstanding conditions to the contrary, a design review granted pursuant to LEMC Section 17.415.050.I.2 shall run with the land for this two-year period, subject to any approved extensions, and shall continue to be valid upon a change of ownership of the site, which was the subject of the design review application.
6. The applicant shall provide all project-related on-site and off-site improvements as required by these Conditions of Approval.
7. Any proposed minor revisions to approved plans shall be reviewed and approved by the Community Development Director or designee. Any proposed substantial revisions to the approved plans shall be reviewed according to the provisions of the Municipal Code in a similar manner as a new application.
8. Provisions of the City's Noise Ordinance (LEMC Chapter 17.176) shall be satisfied during all site preparation and construction activity. Site preparation activity and construction shall not commence before 7:00 AM and shall cease no later than 5:00 PM, Monday through Friday. Only finish work and similar interior construction may be conducted on Saturdays and may commence no earlier than 8:00 am and shall cease no later than 4:00 p.m. Construction activity shall not take place on Sunday, or any Legal Holidays.
9. The applicant shall meet all applicable City Codes and Ordinances.
10. A business license shall be obtained prior to a certificate of occupancy of the proposed establishment.
11. Business hours for the facility shall be as follows:
 - Office/Operations: 8 am to 5 pm, Monday through Friday.
 - Meal Service/Dining Room:
 - Breakfast – 6:30 am to 9 am 7 days a week.
 - Lunch – 11:30 am to 1:30 pm 7 days a week.
 - Dinner – 5:00 pm to 7:30 pm 7 days a week.
 - Housing/Mentorship Component: 24 hours a day/ 7 days a week.
 - Staff will be onsite 24 hours a day/ 7 days a week.

In the event the applicant proposes to modify the hours of operation, the modification shall be subject to review by the Community Development Director. The Community

Development Director may approve the modification or refer the matter to the Planning Commission if judged to be substantial.

12. Any outdoor activities will require a temporary use permit or special event permit, as applicable, shall be obtained from the City of Lake Elsinore prior to conducting any outdoor events on the subject property.
13. An application for modification, expansion or other change in a Conditional Use Permit shall be reviewed according to the provisions of the Section 17.415.070 of the LEMC, in a similar manner as a new application
14. If operation of this use raises concerns related to parking, noise, traffic, or other impacts, at the discretion of the Community Development Director, this Conditional Use Permit may be referred back to the Planning Commission for subsequent review at a Public Hearing. If necessary, the Commission may modify or add conditions of approval to mitigate such impacts, or may revoke said Conditional Use Permit.
15. All Conditions of Approval shall be reproduced on page one of building plans prior to their acceptance by the Building and Safety Division, Community Development Department. All Conditions of Approval shall be met prior to the issuance of a Certificate of Occupancy and release of utilities.
16. All future development proposals shall be reviewed by the City on a project-by-project basis. If determined necessary by the Community Development Director or designee, additional environmental analysis will be required.
17. Any proposed minor revisions to the approved plans are subject to review and approval by the Community Development Director or designee. Any proposed substantial revisions to the approved plans shall be reviewed according to the provisions of the Municipal Code in a similar manner as a new application.
18. No individual signs are approved as part of this approval. The applicant or designee shall submit an application for a sign permit, pay appropriate fees and receive approval from the Community Development Department for any sign(s) installed at the project site.
19. There shall be no loitering in or around the establishment.
20. Graffiti shall be removed within 24 hours.
21. The vicinity of the establishment shall be kept free from trash and debris at all times and in no event shall trash and debris remain for more than 24 hours.
22. All roof mounted or ground support air conditioning units or other mechanical equipment incidental to development shall be architecturally screened or shielded by landscaping so that they are not visible from neighboring property or public streets. Any roof mounted central swamp coolers shall also be screened, and the Community Development Director, prior to issuance of building permit shall approve screening plan.
23. The property address (in numerals at least six inches high) shall be displayed near the entrance and be easily visible from the front of the subject property and public right-of-way.

24. The applicant shall construct trash enclosure(s) with a decorative roof to match the colors, materials and design of the project architecture.
25. Landscaping installed for the project shall be continuously maintained to the reasonable satisfaction of the Community Development Director. If it is determined that the landscaping is not being maintained, the Director of Community Development shall have the authority to require the property owner to bring the landscaping into conformance with the approved landscape plan. The continued maintenance of all landscaped areas shall be the responsibility of the developer or any successors in interest.
26. The proposed location of on-site construction trailers shall be approved by the Community Development Director or designee. A cash bond of \$1,000 shall be required for any construction trailers placed on the site and used during construction. Bonds will be released after removal of trailers and restoration of the site to an acceptable state, subject to approval of the Community Development Director or designee. Such trailer(s) shall be fully on private property and outside the public right of way.
27. The use shall be conducted, at all times, in a manner that will allow the quiet enjoyment of the surrounding neighborhood. The operator shall institute whatever security and operational measures are necessary to comply with this requirement.
28. If any of the conditions of approval set forth herein fail to occur, or if they are, by their terms, to be implemented and maintained over time, if any of such conditions fail to be so implemented and maintained according to their terms, the City shall have the right to revoke or modify all approvals herein granted, deny or further condition issuance of all future building permits, deny revoke, or further condition all certificates of occupancy issued under the authority of approvals herein granted; record a notice of violation on the property title; institute and prosecute litigation to compel their compliance with said conditions or seek damages for their violation.

Prior to Issuance of Grading Permits/Building Permits

29. The applicant shall pay all applicable City fees, including but not limited to Development Impact Fees (DIF) and MSHCP Fees per LEMC Section 16.85, at the rate in effect at the time of payment.
30. Prior to issuance of a building permit, the applicant shall submit water and sewer plans to the Elsinore Valley Municipal Water District (EVMWD) for review and approval. The applicant shall incorporate all EVMWD required conditions and standards.
31. Prior to issuance of Building Permit, the Applicant shall submit a photometric study to the Community Development Department for review and approval. The plan shall ensure that all exterior on-site lighting are shielded and directed on-site so as not to create glare onto neighboring properties and streets or allow illumination above the horizontal plane of the fixture.
32. Prior to the issuance of a Building Permit, all exterior wall mounted and freestanding light fixtures shall be submitted for review and approval by the Director of Community Development, or their designee. Light fixtures shall compliment the architectural style of the buildings onsite.

33. Prior to the issuance of a Building Permit, the color, finish and pattern of all decorative paving onsite shall be submitted for review and approval by the Director of Community Development, or their designee.
34. Prior to issuance of a building permit, Final Landscaping / Irrigation Detail Plans shall be submitted along with appropriate fees for review and approval by the Community Development Director or designee.
 - a. All planting areas shall have permanent and automatic sprinkler system with 50% plant coverage using a drip irrigation method.
 - b. All planting areas shall be separated from paved areas with a six inch (6") high and six inch (6") wide concrete curb. Runoff shall be allowed from paved areas into landscape areas.
 - c. Planting within fifteen feet (15') of ingress/egress points shall be no higher than twenty-four inches (24").
 - d. Landscape planters shall be planted with an appropriate parking lot shade tree pursuant to the LEMC and Landscape Design Guidelines.
 - e. No required tree planting bed shall be less than 5 feet wide.
 - f. Root barriers shall be installed for all trees planted within 10 feet of hardscape areas to include sidewalks.
 - g. Any transformers and mechanical or electrical equipment shall be indicated on landscape plan and screened as part of the landscaping plan.
 - h. The landscape plan shall provide for ground cover, shrubs, and trees and meet all requirements of the City's adopted Landscape Guidelines.
 - i. All landscape improvements shall be bonded 100% for material and labor for two years from installation sign-off by the City. Release of the landscaping bond shall be requested by the applicant at the end of the required two years with approval/acceptance reviewed by the Landscape Consultant and approved by the Community Development Director or Designee.
 - j. All landscaping and irrigation shall be installed within affected portion of any phase at the time a Certificate of Occupancy is requested for any building.
 - k. Final landscape plan must be consistent with approved site plan.
 - l. Final landscape plans to include planting and irrigation details.
 - m. Final landscape plans shall include drought tolerant planting consistent with Elsinore Valley Municipal Water District standards subject to plan check and approval by the City's landscape plan check consultant.
 - n. No turf shall be permitted.

BUILDING DIVISION

35. Final Building and Safety Conditions. Final Building and Safety Conditions will be addressed when building construction plans are submitted to Building and Safety for review. These conditions will be based on occupancy, use, the California Building Code (CBC), and related codes which are enforced at the time of building plan submittal.
36. Compliance with Code. All design components shall comply with applicable provisions of the 2022 edition of the California Building, Plumbing and Mechanical Codes; 2022 California Electrical Code; California Administrative Code, 2022 California Energy Codes, 2022 California Green Building Standards, California Title 24 Disabled Access Regulations, and Lake Elsinore Municipal Code.

37. Disabled Access. Applicant shall provide details of all applicable disabled access provisions and building setbacks on plans to include:
 - a. All ground floor units to be adaptable.
 - b. Disabled access from the public way to the entrance of the building.
 - c. Van accessible parking located as close as possible to the main entry.
 - d. Path of accessibility from parking to furthest point of improvement.
 - e. Path of travel from public right-of-way to all public areas on site, such as clubhouse, trash enclosure, tot lots and picnic areas.
38. Street Addressing. Applicant must obtain street addressing for all proposed buildings by requesting street addressing and submitting a site plan for commercial or multi-family residential projects or a recorded final map for single-family residential projects. It takes 10 days to issue address and notify other agencies. Please contact Sonia Salazar at ssalazar@lake-elsinore.org or 951-674-3124 X 277.
39. Obtain Approvals Prior to Construction. Applicant must obtain all building plans and permit approvals prior to commencement of any construction work.
40. Obtaining Separate Approvals and Permits. Trash enclosures, patio covers, light standards, and any block walls will require separate approvals and permits.
41. Sewer and Water Plan Approvals. On-site sewer and water plans will require separate approvals and permits. Septic systems will need to be approved from Riverside County Environmental Health Department before permit issuance.
42. House Electrical Meter. Applicant shall provide a house electrical meter to provide power for the operation of exterior lighting, irrigation pedestals and fire alarm systems for each building on the site. Developments with single user buildings shall clearly show on the plans how the operation of exterior lighting and fire alarm systems when a house meter is not specifically proposed.

At Plan Review Submittal

43. Submitting Plans and Calculations. Applicant must submit to Building and Safety four (4) complete sets of plans and two (2) sets of supporting calculations for review and approval including:
 - a. An electrical plan including load calculations and panel schedule, plumbing schematic, and mechanical plan applicable to scope of work.
 - b. A Sound Transmission Control Study in accordance with the provisions of the Section 1207, of the 2022 edition of the California Building Code.
 - c. A precise grading plan to verify accessibility for the persons with disabilities.
 - d. Truss calculations that have been stamped by the engineer of record of the building and the truss manufacturer engineer.

Prior to Issuance of Grading Permit(s)

44. Onsite Water and Sewer Plans. Onsite water and sewer plans, submitted separately from the building plans, shall be submitted to Building and Safety for review and approval.

45. Demolition Permits. A demolition permit shall be obtained if there is an existing structure to be removed as part of the project.

Prior to Issuance of Building Permit(s)

46. Plans Require Stamp of Registered Professional. Applicant shall provide appropriate stamp of a registered professional with original signature on the plans. Provide C.D. of approved plans to the Building Division.

Prior to Beginning of Construction

47. Pre-Construction Meeting. A pre-construction meeting is required with the building inspector prior to the start of the building construction.

ENGINEERING DEPARTMENT

General

48. All new submittals for plan check or permit shall be made using the City's online Citizen Self-Service Portal (CSSP).
49. All engineering plans shall be prepared by a California licensed Civil Engineer using the City's standard title block.
50. All required soils, geology, hydrology and hydraulic and seismic reports shall be prepared by a licensed Civil Engineer and Soils Engineer, as applicable.
51. All slopes and landscaping within the public right-of-way shall be maintained by the property owner, owner's association, firms contracted by the property owner's association, or another maintenance entity approved by the City Council.
52. In accordance with the City's Franchise Agreement for waste disposal and recycling, the applicant shall be required to contract with CR&R, Inc. for removal and disposal of all waste material, debris, vegetation and other rubbish generated both during cleaning, demolition, clear and grubbing or all other phases of construction and during occupancy.
53. Applicant shall submit a detailed hydrology and hydraulic study for review for the sufficient containment and conveyance of the storm water to a safe and adequate point as approved by the City Engineer.
54. The site will accommodate all construction activity, building activity, vehicles, etc. No staging on public streets, or private property belonging to others shall be conducted without the written permission of the property owner.
55. Minimum good housekeeping and erosion and sediment control Best Management Practices (BMPs) shall be implemented.

FEES

56. Applicant shall pay all applicable permit application and Engineering assessed fees, including without limitation plan check and construction inspection fees, at the prevalent rate

at time of payment in full.

57. Applicant shall pay all applicable Mitigation and Development Impact Fees at the prevalent rate at time of payment in full. Fees are subject to change. Mitigation and Development Impact Fees include without limitation:
- Master Drainage Plan Fee – Due prior to Grading Permit issuance, whichever is first.
 - Traffic Infrastructure Fee (TIF) – Due prior to Building Permit issuance
 - Transportation Uniform Mitigation Fee (TUMF) – Due prior to Occupancy

LAND DIVISION

58. Applicant shall submit and complete plan check review and approval for a parcel merger for APNs 373-153-039 and 373-153-041. Parcel merger shall be recorded prior to first issuance of the building permit.

STORM WATER MANAGEMENT / POLLUTION PREVENTION / NPDES

Design

59. The project is responsible for complying with the Santa Ana Region National Pollutant Discharge Elimination System (NPDES) Permits as warranted based on the nature of development and/or activity.
60. A Final Water Quality Management Plan (WQMP) will be required and shall be prepared using the Santa Ana Region of Riverside County Guidance Document and approved template and submitted for review and approval to the City. The Final WQMP shall be approved by the City prior rough grading plan approval or issuance of any permit for construction.
61. The Final WQMP shall document the following:
- Detailed site and project description.
 - Potential stormwater pollutants.
 - Post-development drainage characteristics.
 - Low Impact Development (LID) BMP selection and analysis.
 - Structural and non-structural source control BMPs.
 - Treatment Control BMPs.
 - Site design and drainage plan (BMP Exhibit).
 - Documentation of how vector issues are addressed in the BMP design, operation and maintenance.
 - GIS Decimal Minute Longitude and Latitude coordinates for all LID and Treatment Control BMP locations.
 - Hydraulic Conditions of Concern (HCOC) – demonstrate that discharge flow rates, velocities, duration and volume for the post construction condition from a 2-year, 24-hour rainfall event will not cause adverse impacts on downstream erosion and receiving waters, or measures are implemented to mitigate significant adverse impacts downstream public facilities and water bodies. Evaluation documentation shall include pre- and post-development hydrograph volumes, time of concentration and peak discharge velocities, construction of sediment budgets, and a sediment transport analysis. If HCOC applies, the project shall implement measures to limit disturbance of natural water bodies and drainage systems; conserve natural areas; protect slopes and

- channels; and minimize significant impacts from urban runoff. (Note the facilities may need to be larger due to flood mitigation for the 10-year, 6- and 24-hour rain events).
- Operations and Maintenance (O&M) Plan and Agreement (using City approved form and/or CC&Rs) as well as documentation of formation of funding district for long term maintenance costs.
62. Parking lot landscaping areas shall be designed to provide for treatment, retention or infiltration of runoff.
63. Project hardscape areas shall be designed and constructed to provide for drainage into adjacent landscape.
64. Project trash enclosure shall be covered, bermed, and designed to divert drainage from adjoining paved areas and regularly maintained.
65. All storm drain inlet facilities shall be appropriately marked "Only Rain in the Storm Drain" using the City authorized marker.
66. The project site shall implement full trash capture methods/devices approved by the Region Water Quality Control Board. This shall include installation of connector pipe screens on all onsite and offsite catch basins to which the project discharges.

Construction

67. Prior to grading or building permit for construction or demolition and/or weed abatement activity, projects subject to coverage under the NPDES General Construction Permit shall demonstrate that compliance with the permit has been obtained by providing a copy of the Notice of Intent (NOI) submitted to the State Water Resources Control Board and a copy of the notification of the issuance of a Waste Discharge Identification (WDID) Number or other proof of filing to the satisfaction of the City Engineer.
68. Erosion & Sediment Control – Prior to the issuance of any grading or building permit for construction or demolition, the applicant shall submit for review and approval by the City Engineer, an Erosion and Sediment Control Plan as a separate sheet of the grading plan submittal to demonstrate compliance with the City's NPDES Program and state water quality regulations for grading and construction activities. A copy of the plan shall be kept updated as needed to address changing circumstances of the project site, be kept at the project site, and available for review upon request.

Post-Construction

69. Prior to the issuance of a certificate of use and/or occupancy, the applicant shall demonstrate compliance with applicable NPDES permits for construction, industrial/commercial, MS4, etc. to include:
- Demonstrate that the project has complied with all non-structural BMPs described in the project's WQMP.
 - Provide signed, notarized certification from the Engineer of Work that the structural BMPs identified in the project's WQMP are installed in conformance with approved plans and specifications and operational.

- Submit a copy of the fully executed, recorded City approved Operations and Maintenance (O&M) Plan and Agreement for all structural BMPs or a copy of the recorded City approved CC&R.
- The Operation and Maintenance (O&M) Plan and Agreement and/or CC&R's shall: (1) describe the long-term operation and maintenance requirements for BMPs identified in the BMP Exhibit; (2) identify the entity that will be responsible for long-term operation and maintenance of the referenced BMPs; (3) describe the mechanism for funding the long-term operation and maintenance of the referenced BMPs; and (4) provide for annual certification for water quality facilities by a Registered Civil Engineer. The City format shall be used.
- Provide documentation of annexation into a CFD for funding facilities to be maintained by the City.
- Demonstrate that copies of the project's approved WQMP (with recorded O&M Plan or CC&R's attached) are available for each of the initial occupants.
- Agree to pay for a Special Investigation from the City of Lake Elsinore for a date twelve (12) months after the issuance of a Certificate of Use and/or Occupancy for the project to verify compliance with the approved WQMP and O&M Plan. A signed/sealed certification from the Engineer of Work dated 12 months after the Certificate of Occupancy will be considered in lieu of a Special Investigation by the City.
- Provide the City with a digital .pdf copy of the Final WQMP.

UTILITIES

70. All arrangements for relocation of utility company facilities (power poles, vaults, etc.) out of the roadway shall be the responsibility of the applicant, property owner, and/or his agent. Overhead utilities (34.5 kV or lower) shall be undergrounded (LEMC Section 16.64).
71. Submit a "Will Serve" letter to the City Engineering Department from the applicable water agency stating that water and sewer arrangements have been made for this project and specify the technical data for the water service at the location, such as water pressure, volume, etc. Will Serve letters shall be provided prior to issuance of Grading Permit.

IMPROVEMENTS

72. Project will be responsible for the following improvements:
 - Replacement of driveway approaches along property frontage on Main Street per City of Lake Elsinore Standards.
 - Sidewalk replacement along property frontage on Main Street per City of Lake Elsinore Standards.
 - Reconstruct curb and gutter on Main Street along the property frontage as required by the City of Lake Elsinore.
 - Repair/replacement of the retaining wall along Prospect Street as required and determined from the Structural Analysis of the existing retaining wall. If determined repair/replacement is necessary, the retaining wall improvements shall be constructed by the Developer.

- a. Structural analysis report shall be provided to the Engineering Department for review, prior to grading permit. Structural analysis report shall be stamped by a California Licensed Structural Engineer.
 - Improvement design shall address ponding issue at/near the existing front door of the building that develops water during/after a storm event. Project is required to ensure proper drainage.
73. Sight distance into and out at each project driveway shall comply with City Standard 125/126 or Caltrans standards. Project shall ensure above ground facilities are installed outside the line of sight of drivers.
74. 10-year storm runoff shall be contained within the curb and the 100-year storm runoff shall be contained within the street right-of-way. When either of these criteria are exceeded, drainage facilities shall be provided.
75. All drainage facilities in this project shall be constructed to Riverside County Flood Control District Standards. All public storm drain improvements shall be constructed as part of the first phase of the project.
76. A drainage study shall be provided. The study shall identify the following: identify storm water runoff from and upstream of the site; show existing and proposed off-site and on-site drainage facilities; and include a capacity analysis verifying the adequacy of the facilities.
77. All natural drainage traversing the site shall be conveyed through the site, or shall be collected and conveyed by a method approved by the City Engineer. All off-site drainage, if different from historic flow, shall be conveyed to a public facility.
78. Roof drains shall not be allowed to outlet directly through coring in the street curb. Roofs should drain to a landscaped area.
79. The site shall be planned and developed to keep surface water from entering buildings (California Green Building Standards Code 4.106.3).
80. All existing storm drain inlet facilities adjacent to the subject properties shall be retrofitted with a storm drain filter; all new storm drain inlet facilities constructed by this project shall include a storm drain filter.
81. A California licensed Civil Engineer shall prepare the improvement plans required for this project. Improvements shall be designed and constructed to City Standards and Codes (LEMC 12.04 and 16.34).
82. If existing improvements are to be modified, the existing improvement plans on file shall be revised accordingly and approved by the City Engineer prior to issuance of a building permit.

Permitting/Construction

83. An encroachment permit shall be obtained prior to any work on City right-of-way. The developer shall submit the permit application, required fees, and executed agreements, security and other required documentation prior to issuance.

84. All compaction reports, grade certification, monument certification (with tie notes delineated on 8 ½ X 11" Mylar) shall be submitted to the Engineering Department before final inspection of public works improvements will be scheduled and approved.

PRIOR TO GRADING PERMIT

Design

85. A grading plan signed and stamped by a California licensed Civil Engineer shall be submitted for City review and approval for all addition and/or movement of soil (grading) on site. The plan shall include separate sheets for erosion control, haul route and traffic control as applicable. The grading submittal shall include all supporting documentation and be prepared using City standard title block, standard drawings and design manual.
86. All grading plan contours shall extend to minimum of 50 feet beyond property lines to indicate existing drainage pattern. The grading plan shall show that no structures, landscaping, or equipment are located near the project entrances that could reduce sight distance.
87. If the grading plan identifies alterations in the existing drainage patterns as they exit the site, a Hydrology and Hydraulic Report for review and approval by City Engineer shall be required prior to issuance of grading permits. All grading that modifies the existing flow patterns and/or topography shall be in compliance with Federal, State and Local law and be approved by the City Engineer.
88. The applicant shall obtain all necessary off-site easements and/or permits for off-site grading and the applicant shall accept drainage from the adjacent property owners.
89. Applicant shall mitigate to prevent any flooding and/or erosion downstream caused by development of the site and/or diversion of drainage.
90. All natural drainage traversing the site (historic flow) shall be conveyed through the site in a manner consistent with the historic flow or to one or a combination of the following: to a public facility; accepted by adjacent property owners by a letter of drainage acceptance; or conveyed to a drainage easement as approved by the City Engineer.

Permitting/Construction

91. Applicant shall execute and submit grading and erosion control agreement, post grading security, and pay permit fees as a condition of grading permit issuance.
92. No grading shall be performed without obtaining a grading permit. A grading permit does not include the construction of retaining walls or other structures for which a building permit is required.
93. A preconstruction meeting with the City Engineering Inspector (Engineering Department) is required prior to commencement of any grading activity.
94. Hauling in excess of 5,000 cubic yards shall be approved by the City Council (LEMC 15.72.065). Prior to commencement of grading operations, applicant shall provide to the Engineering Department a map of all proposed haul routes to be used for movement of

export material. All such routes shall be subject to review and approval of the City Engineer. Haul route shall be approved prior to issuance of a grading permit.

95. All grading shall be done under the supervision of a licensed geotechnical engineer. Slopes steeper than 2 to 1 shall be evaluated for stability and proper erosion control and approved by the City.
96. Review and approval of the project sediment and erosion control plan shall be completed. As warranted, a copy shall be kept at the project site and be available for review upon request.
97. Approval of the project Final Water Quality Management Plan (WQMP) for post construction shall be received prior to issuance of a grading permit.
98. Applicant shall obtain applicable environmental clearance from the Planning Department and submit applicable clearance document to the Engineering Department. This approval shall specify that the project complies with any and all required environmental mitigation triggered by the proposed grading activity.

PRIOR TO BUILDING PERMIT

99. All required parcel mergers shall be recorded prior to the issuance of the first building permit.
100. Applicant shall provide soils, geology and seismic report, including recommendations for parameters for seismic design of buildings, and walls prior to building permit.
101. All public improvement plans, shall be completed and approved by the City Engineer.

PRIOR TO OCCUPANCY / FINAL APPROVAL

102. All public improvements shall be constructed in accordance with the approved plans or as condition of this development to the satisfaction of the City Engineer prior to issuance of first occupancy.
103. Proof of acceptance of maintenance responsibility of slopes, open spaces, landscape areas, and drainage facilities shall be provided.
104. Applicant shall provide a digital copy of the recorded Stormwater BMP Operation and Maintenance Manual (Stormwater Facilities Agreement) to the Engineering Department prior to first occupancy.
105. In the event of the damage to City roads from hauling or other construction related activity, applicant shall pay full cost of restoring public roads to the baseline condition.
106. Applicant shall pay all outstanding applicable processing and development fees prior to occupancy and/or final approval.
107. Applicant shall submit documentation pursuant to City's Security Release handout.

CITY OF LAKE ELSINORE FIRE MARSHAL

108. The applicant/operator shall comply with all requirements of the Riverside County Fire Department Lake Elsinore Office of the Fire Marshal. Questions should be directed to the Riverside County Fire Department, Lake Elsinore Office of the Fire Marshal at 130 S. Main St., Lake Elsinore, CA 92530. Phone: (951) 671-3124 Ext. 225.
109. Fire Hydrants and Fire Flow: Provide one copy of the water system plans to show there exist fire hydrant(s) capable of delivering the minimum fire flow, per CFC Appendix B Table B105.1, within 400 feet to all portions around the proposed structure. Minimum fire hydrant location and spacing shall comply with the CFC and NFPA 24. Reference 2022 California Fire Code (CFC) 507.5.1
- a. Approximate fire flow is 1500 GPM @ 20 PSI for 2 hours, for a 14,559 square-foot building with Type V-A construction and automatic fire sprinklers.
110. Fire Department Access: Provide a site plan for fire apparatus access roads and signage. Access roads shall be provided to within 150 feet to all portions of all buildings and shall have an unobstructed width of not less than 24 feet. The construction of the access roads shall be all weather and capable of sustaining 60,000 lbs. gross vehicular weight for commercial developments. Ref. CFC 503.1.1 and 503.2.1.
- a. Fire department access lanes shall have a minimum outside turning radius of 38'.
111. Construction Permits Fire Department Review: Submittal of construction plans to the Office of the Fire Marshal for development, construction, installation, and operational use permitting will be required. Final fire and life safety conditions will be addressed when the Office of the Fire Marshal reviews these plans. These conditions will be based on occupancy, use, California Building Code (CBC), California Fire Code, and related codes, which are in effect at the time of building plan submittal.
-

I hereby state that I acknowledge receipt of the approved Conditions of Approval for the above-referenced project and do hereby agree to accept and abide by all Conditions of Approval as approved by the City of Lake Elsinore Planning Commission on _____. I also acknowledge that all Conditions shall be met as indicated.

Date: _____

Applicant's Signature: _____

Print Name: _____

Address: _____

Phone Number: _____

DRAFT